



The Purchasing Memo

Date: July 29, 2026

To: Governing Body
Finance Committee
Public Utilities/ Public Works

From: Martin Valdez, ESD Fleet Manager 

Via: Jesse Roach, Interim Public Utilities Department Director 
Debora Trujillo, Environmental Services Division Director 

Subject: Purchase of Five (5) Kenworth L770 Double-Axle Chassis

Vendor Name: Inland Kenworth US, Inc.

Munis Vendor Number: 10326

ITEM AND ISSUE:

Public Utilities Department, Environmental Services is requesting your review and approval, to purchase Five (5) Kenworth L770 Double-Axle Chassis in the Total Amount of \$1,119,655.00 excluding tax with Inland Kenworth US, Inc. via Cooperative Educational Services (CES) Contract #2024-24-C121-ALL, expiring 05/21/2028.

BACKGROUND AND SUMMARY:

Environmental Services seeks to purchase five (5) Kenworth L770 Double-axle Chassis, powered by compressed natural gas (CNG) to replace existing side-load recycling vehicles that will soon be 10 years old and quickly becoming no longer viable due to consistently high maintenance costs. These chassis have previously proven to be dependable, efficient, and durable in our fleet operations. This acquisition supports the City of Santa Fe's ongoing efforts to reduce emissions and lower our carbon footprint by transitioning to cleaner, more sustainable fuel alternatives.

PRIOR APPROVALS AND SUPPORTING INFORMATION:

FUNDING SOURCE:

Fund Name/Number: ESD Enterprise Fund / Fund 510

Munis Org Name/Number: ESD Commercial Collections / 5100332

Munis Org Name/Number: ESD Recycling Collections / 5100334

Munis Object Name/Number: Vehicles > 1.5 / 571000

Budget Officer / Designee: Andrew J. Hopkins Date: 08/04/2026

Budget Officer Comment/Exceptions: _____

PROCUREMENT METHOD:

The procurement method used was:

Cooperative Educational Services (CES) Contract Number: 2024-24-C121-ALL, RFP Number: 2024-24 (Medium & Heavy – Duty Trucks) Expires May 21, 2028

Chief Procurement Officer (CPO) / Designee: JoAnn Lovato Montano Date: 08/07/2026

CPO Comment/Exceptions: Asset to be noted in REQ in Munis

ASSOCIATED APPROVALS:

IT Components included? ☐ Yes | ☒ No

Approval: _____ Title: _____ Date: _____

Comment/Exceptions: _____

Vehicles included? ☒ Yes | ☐ No

Approval: _____ Title: _____ Date: _____

Comment/Exceptions: _____

Construction to City Facilities, Furniture, and/or Fixtures included? ☐ Yes | ☒ No

Approval: _____ Title: _____ Date: _____

Comment/Exceptions: _____

Is this an externally funded purchase? ☐ Yes | ☒ No

If yes, what is the issuing agency: _____

Approval: _____ Title: _____ Date: _____

Comment/Exceptions: _____

Is this a Capital Asset or Project? ☒ Yes | ☐ No

Project Ledger Number: _____

Approval: _____ Title: _____ Date: _____

Comment/Exceptions: _____

ATTACHMENTS:

Vendor's Quote

CES Contract Award Letter

RFP 2024-24 / Contract

Chassis Specs

Fleet Maintenance Manager's Memo

Quote



Anthony Di Benedetti
505-525-1479 adibenedetti@inland-group.com

Date:	July 23, 2026
Valid Until	October 21, 2026
Quote #:	111115
PCCR ID	QUO-1240268-D9Y7P2

Customer

City Of Santa Fe Solid Waste
Martin Valdez
505-231-3751
mvaldez@santafenm.gov

Quote/Project Description

PER: CES 2024-24-C121-ALL

Description: 2027 Kenworth L770 LCF chassis with ASL CNG

base spec: 2027 Kenworth L770, 60K GVWR. 20K front axle w/matching componets, 46K rear Axles w/ matching componets, 315/85R22.5 tires on Aluminium wheels, Cummins X12N 350 HP 1650 Ft-lbs Torque engine, Allison transmission, Hendrickson Haulmax 46K suspension, 53" low cab forward right hand drive cab. Drum plus or minus the options below

no options taken

Line Total

\$223,931.00

Special notes:

This purchase requires 2 PO's, one for the chassis and one for the body. Chassis to be paid upon once built. Body to be paid once installed

truck total	\$223,931.00
Body	\$0.00
FET	0
Sales Tax	0
TOTAL	223,931.00



BUYERS ORDER & PURCHASE AGREEMENT

INLAND KENWORTH (US) INC.

7711 Fortuna Rd NW

Albuquerque, NM 87121

Phone : (505) 884-0300 Fax: (505) 881-0824

DATE: 7/23/2026 BUYER'S NAME: City of Santa Fe - Solid Waste Management
ADDRESS: PO Box 909 PHONE: (505) 955-2241
CITY: Santa Fe STATE: NM
ZIP: 87504-0909

QUANTITY: 5 NEW: New COLOR: White DESCRIPTION:
YEAR: 2027 MAKE: Kenworth MODEL: L770 RH X12N 4500 3AX 66K ASL
SERIAL # (s): , , , , TBD
STOCK # (s): , , , , TBD

SALESPERSON: Anthony Dibenedetti

Price / Unit	Qty	Purchase Total
\$223,931.00	5	\$1,119,655.00
FET		\$0.00
Documentation		\$0.00
Taxable Amount (above less FET + Trade) \$2,427,650.00		
Sales Tax		
Ext. Warranty		\$0.00
Administration		\$0.00
License & Title		\$0.00
Insurance Waiver		\$0.00
Tire Disposal Fee		\$0.00
Out of State Delivery		\$0.00
Total		\$1,119,655.00
Cash Deposit		\$0.00
Trade Equity		\$0.00
Amount Financed		\$0.00
Cash on Delivery		\$0.00

BUYER HEREBY SUBMITS THE ABOVE ORDER WHICH SHALL CONSTITUTE BUYER'S OFFER TO PURCHASE THE VEHICLE(S), CHASSIS OR ACCESSORY (IES) (INDIVIDUALLY AND TOGETHER, THE "VEHICLE") AS IDENTIFIED ABOVE FOR THE PURCHASE PRICE AND ON THE TERMS AND CONDITIONS SET FORTH IN THE ABOVE ORDER AND THIS AGREEMENT (TOGETHER, THE "AGREEMENT"), WHICH INCLUDES THE ABOVE ORDER AND THE ADDITIONAL TERMS AND CONDITIONS AND ANY ADDENDUM, WHICH BUYER REPRESENTS IT HAS REVIEWED AND UNDERSTANDS.

AGREED BY PURCHASER

Signature

Title

Date

SELLER HEREBY ACCEPTS BUYER'S OFFER AND AGREES TO SELL TO BUYER THE IDENTIFIED VEHICLE ON THE TERMS AND CONDITIONS SET FORTH IN THIS AGREEMENT.

ACCEPTED BY SELLER

Signature

Title

Date

THANK YOU FOR YOUR BUSINESS!

BUYER HEREBY SUBMITS THE ABOVE ORDER WHICH SHALL CONSTITUTE BUYER'S OFFER TO PURCHASE THE VEHICLE(S), CHASSIS OR ACCESSORY (IES) (INDIVIDUALLY AND TOGETHER , THE "VEHICLE") AS IDENTIFIED ABOVE FOR THE PURCHASE PRICE AND ON THE TERMS AND CONDITIONS SET FORTH IN THE ABOVE ORDER AND THIS AGREEMENT (TOGETHER, THE "AGREEMENT"), WHICH INCLUDES THE ABOVE ORDER AND THE ADDITIONAL TERMS AND CONDITIONS AND ANY ADDENDUM, WHICH BUYER REPRESENTS IT HAS REVIEWED AND UNDERSTANDS.

AGREED BY PURCHASER

_____	_____	_____
Signature	Title	Date

SELLER HEREBY ACCEPTS BUYER'S OFFER AND AGREES TO SELL TO BUYER THE IDENTIFIED VEHICLE ON THE TERMS AND CONDITIONS SET FORTH IN THIS AGREEMENT.

ACCEPTED BY SELLER

_____	_____	_____
Signature	Title	Date

THANK YOU FOR YOUR BUSINESS!



Inland Kenworth US, Inc. - 2024-24-C121-ALL

Overview

Inland
Kenworth US,
Inc.

Contract Source

CES

Contract Type

Price Agreements

Contract Number

2024-24

Category/Subcategory

- Fleet and Related
 - Automotive Equipment and Supplies
 - Automotive Parts and Tires
 - Electric Vehicles
 - Heavy Duty Trucks
 - Hybrid Vehicles

Description

Complete line of Class 3 to Class 8 medium to heavy duty trucks; various types of truck bodies; parts and accessories; maintenance and repair services; public safety upfitting services; and warranty service; etc.

Contracting Officer

Joe Valencia

Initiation Date

5/22/2024

Expiration Date

5/21/2028

Multi Year Award

No

No information to display



Contract Award Letter

May 22, 2024

Inland Kenworth US, Inc.
7711 Fortuna Rd. NW
Albuquerque, NM 87121

RFP NUMBER: 2024-24
RFP DESCRIPTION: Medium & Heavy-Duty Trucks
CONTRACT NUMBER: 2024-24-C121-ALL
Category 1 - Lot 1 - Medium & Heavy-Duty Trucks

Dear Procurement Partner

Cooperative Educational Services (CES) thanks you for responding to our 2024-24 solicitation. The responses have been reviewed and it is our pleasure to inform you that your company has been selected to provide the products and services indicated in your response.

The Contract, in conjunction with the Contract and RFP documents, constitute the Agreement between the parties. Please retain all documents for your records. This Indefinite Delivery and Indefinite Quantity contract, as defined in NMSA 13-1-63; beginning May 22, 2024 and expiring May 21, 2028, pursuant to 13-1-150 NMSA.

It is the vendor's responsibility to keep pricing up to date throughout the life of the contract.

Sincerely yours,

Cooperative Educational Services

A handwritten signature in black ink, appearing to read "David Chavez", with a stylized, cursive-like script.

David Chavez
Executive Director, Chief Procurement Officer
Office: 505.344.5470



ACCEPTANCE OF PROPOSAL AND OFFER AND CONTRACT AWARD

RFP NUMBER: 2024-24
RFP DESCRIPTION: Medium & Heavy-Duty Trucks
CONTRACT NUMBER: 2024-24-C121-ALL
Category 1 - Lot 1 - Medium & Heavy-Duty Trucks

CONTRACT

This contract award is being made by Cooperative Educational Services ("CES"), 10601 Research Rd. SE, Albuquerque, New Mexico 87123 effective this 22nd day of May 2024, to Inland Kenworth US, Inc., with its principal office located at 7711 Fortuna Rd. NW, Albuquerque, NM 87121, pursuant to the above referenced CES conducted Request for Proposal ("RFP") or Request for Bids ("RFB") procurement, and Contract Holder accepts the award and enters into this contract pursuant to the following terms and conditions.

RECITALS

Cooperative Educational Services (CES) is a cooperative procurement agency created by a Joint Powers Agreement as authorized by Section 11-1-1, et. seq., N.M.S.A., 1978, and Section 13-1-135 and procures tangible personal property, services and construction services ("Products, Services and/or Construction Services") pursuant to the New Mexico Procurement Code for the benefit of its Members and Participating Entities. The Members consist of public educational institutions in New Mexico that are signators to a Joint Powers Agreement establishing CES as their procurement agency. The Participating Entities are governmental and 501(C) (3) organizations that have entered into Participating Entity Agreements with CES which allow them to take advantage of the procurement efforts of CES.

The undersigned ("Contract Holder") has successfully responded to a RFP or RFB published by CES in accordance with the Procurement Code, (13-1-103, 111, 112), and Contract Holder is being awarded this RFP or RFB contract by CES which allows Contract Holder to offer Products, Services and Construction Services in accordance with the terms and conditions set forth herein and in the RFP or RFB documents and this contract award.

CONTRACT TERMS

1. The initial contract term shall be from the effective contract award date May 22, 2024 through May 21, 2028. CES reserves the right to renew the Contract through a written amendment signed by all required signatories, but in any case, the Contract shall not exceed the total number of years allowed pursuant to NMSA 1978 13-1-150. CES reserves the right to offer month-to-month extensions if it is determined by CES to be in the best interest of CES Members/Participating Entities

2. Contract Holder agrees and acknowledges that the contract terms and provisions are those contained in the above referenced RFP or RFB and agrees to furnish all Products, Services and/or Construction Services in compliance with all terms, conditions, specifications of and amendments to this RFP or RFB. Contract Holder understands that his obligations under this RFP or RFB contract extend to CES Members and Participating Entities who are third party beneficiaries of

this RFP or RFB procurement process. The Members/Participating Entities may negotiate with Contract Holder certain additional terms and conditions relating to the scope of services and other performance details. However, the terms and conditions of the RFP or RFB may not be altered or amended except with the approval of CES and in accordance with the State Procurement Code.

3. Contract Holder acknowledges and agrees that CES' purpose and function is to act as a cooperative procurement agent on behalf of its Members and Participating Entities so that they may take advantage of these procurement efforts. CES does not have any subsequent responsibility relating to the quality and fitness of any Products, or the performance of any Services and Construction Services by Contract Holder. Any purchase orders placed by a CES Member or Participating Entity with Contract Holder directly or through CES and any resulting contract between the Contract Holder and a CES Member or Participating Entity do not create any additional obligations on the part of CES.

4. For transactions which involve CES transmitting purchase orders from a Member/Participating Entity to Contract Holder, CES volunteers to act as a payment facilitator to make payments to Contract Holder with funds transferred to CES by the Member/Participating Entity in accordance with Member/Participating Entity's written instructions and to provide an accounting of all monies paid or received by CES pursuant to this Agreement. CES also volunteers to provide informal mediation services between Contract Holder and Member/Participating Entity in the event any dispute arises between them.

5. Contract Holder understand and agree that upon CES' receipt of funds from the Member/Participating Entity, CES has no right or authority to thereafter apply those funds to any purpose other than as instructed by Member/Participating Entity. CES shall incur no liability to Contract Holder except for liability arising from CES' own gross negligence or willful misconduct, to the extent allowed by New Mexico law. Through this procurement process, Contract Holder is authorized to provide the described Products, Services or Construction Services. CES has no obligation or right to involve itself with the manner or method by which Contract Holder provides these Products, Services or Construction Services.

6. To the extent allowed by New Mexico law, Contract Holder agrees to hold CES harmless from all costs, expenses, attorney fees and judgments based upon claims between a Member/Participating Entity and Contract Holder in connection with the specified Products, Services or Construction Services provided by Contract Holder

7. Contract Holder agrees that it will not assert any claim against CES in the event that a dispute arises regarding the alleged failure of Contract Holder or a Member/Participating Entity to perform as provided for in the RFP or RFB documents, any purchase order or other contract between Contract Holder and a Member/Participating Entity. This does not include claims against CES based upon the alleged gross negligence or intentional acts of CES.

8. Any liability incurred in connection with this Agreement shall be subject to the immunities and limitations of the New Mexico Tort Claims Act, §§ 41-4-1 et seq, NMSA 1978, as amended.

The Recitals are incorporated herein as contract terms.

Agreed effective the above date.

Cooperative Educational Services

A handwritten signature in dark ink, appearing to read "David Chang", written over a horizontal line.

Electronically Signed on 05/22/2024

Executive Director

Date: 05/22/2024

Inland Kenworth US, Inc.

Anthony DiBenedetti

Electronically Signed on 05/22/2024

Truck Sales

GENERAL SCOPE OF WORK AND SPECIFICATIONS

PART I INTRODUCTION

A. GENERAL

The purpose of this Request for Proposal is to solicit sealed proposals to establish, through competitive public solicitation and negotiation, a multi-year cooperative contract, or contracts, between Cooperative Educational Services (CES) and the successful Offeror(s).

In order to assist CES Members or Participating Entities which consist of over 440 educational and governmental entities in New Mexico, CES is seeking proposals from Offeror(s) who have the experience and can provide Class 3 to Class 8 medium to heavy duty trucks; various types of truck bodies; parts and accessories; maintenance and repair services; public safety upfitting services; and warranty service; etc. **Class 1 and Class 2 trucks cannot be offered under this RFP.**

CES is looking for interested Offeror(s) that are licensed in the State of New Mexico that can provide the following options to CES Members and Participating to purchase vehicles. The options are:

1. Fleet purchase option.
2. Off the lot purchase option.
3. Used Vehicle purchase option.
4. Equipment, supplies and related services.

It is the intent of CES to establish a contract with multiple vendors who can supply the vehicles and services listed throughout this Scope of Work, for direct purchase, and as needed. All vehicles and services are to be supplied according to industry standards, according to the material manufacturers' recommendations and to the satisfaction of CES' Membership. Selected Contractors shall provide vehicles, and/or services as requested by the Member's Representative or their designee. CES or its Membership offers no guarantee of vehicles or services to be purchased under the Contract.

B. NOTICE

If practicable, CES intends to make multiple awards for sufficient coverage statewide. Price agreements' term, resulting from this RFP, are pursuant to New Mexico Procurement Code, NMSA, 1978, 13-1-150.

This is an open-ended RFP. At the discretion of CES, the RFP may remain open for accepting additional proposals after a source award or multiple source awards are made to allow CES to make additional source awards if CES determines in accordance with ¶13-1-154 NMSA 1978 that such additional awards are necessary to fully meet CES member or participating entity service or economy needs identified by CES prior to a source award(s) or identified after a source award(s) is made.

Any new Offeror may not have access to any RFP documents submitted by another Offeror or to documents involved in the rating or ranking process of Offerors, as this would negate the open and fair competition process. Offerors that submitted a proposal for this RFP event and did not receive a recommendation for award may not submit a new proposal for the same RFP event. New proposals will be evaluated as prescribed in the original RFP and evaluated against all other RFP proposals. Any new source awards will be aligned with the contract end date of the original source awards. CES reserves the right to terminate the opportunity for submittal of additional offers at any time prior to the original contract award expiration date.

C. DEFINITIONS

Alternative Fuels:

1. Liquefied petroleum gas
2. Natural gas
3. Hydrogen
4. A blend of hydrogen with liquefied petroleum or natural gas
5. An emulsion of water-phased hydrocarbon fuel that contains not less than 20% water by volume and that complies with any of the following:
 - a. Is used in an engine that is certified to meet at a minimum the United States Environmental Protection Agency low emission vehicle standard pursuant to 40 Code of Federal Regulations Section 88.104-94 or 88.105-94.
 - b. Is used in an engine that is certified by the engine modifier to meet the addendum to memorandum 1-A of the United States Environmental Protection Agency.
 - c. Is used in an engine that is the subject of a waiver for that specific engine application from the United States Environmental Protection Agency's memorandum 1-A addendum requirements and that waiver is documented to the reasonable satisfaction of the Department of Commerce Energy Office.
6. Alcohol fuels that contain not less than 85% alcohol by volume
7. Electricity
8. Solar energy
9. A combination of at least 70% alternative fuel and no more than 30% petroleum-based fuel and that operates in an engine that meets the United States Environmental Protection Agency (EPA) low emission vehicle standard pursuant to 40 Code of Federal Regulations Section 88.104-94 or 88.105-94 and is certified by the engine manufacturer to consume at least 70% alternative fuel during normal vehicle operations.

CDL: Commercial Driver's License

Class: GVWR class ratings. "Medium Class" trucks are: Class 3: 10001-14000#; Class 4: 14001-16000#; Class 5: 16001-19500#; Class 6: 19501-26000#. "Heavy" class trucks are: Class 7: 26001-33000#; Class 8: over 33000#.

Conventional Cab: A cab/engine design with a full front section and hood, where the engine and front axle are positioned in front of the cab.

Dealer Prep: An amount or fee that the dealer charges to receive and prepare the purchase vehicle for delivery to the customer.

EPA: Environmental Protection Agency

Factory Invoice: The actual invoice the manufacturer sends to the dealer for the vehicle.

FMCSR: Federal Motor Carrier Safety Administration

FMVSS: Federal Motor Vehicle Safety Standards

GVWR: Gross Vehicle Weight Rating; the maximum allowable weight of the fully loaded vehicle, per manufacturer, including liquids, passengers, cargo, and the tongue weight of any towed vehicle.

Hybrid Electric Vehicles: HEVs are primarily propelled by an internal combustion engine, just like conventional vehicles. However, they also convert energy normally wasted during coasting and braking into electricity, which is stored in a battery until needed by the electric motor. The electric motor assists the engine when accelerating or hill climbing and at low speeds where internal combustion engines are least efficient. Unlike all-electric vehicles, HEVs do not need to be plugged into an external source of electricity to be recharged; conventional gasoline and regenerative braking provide all the energy the vehicle needs.

Insurance Institute for Highway Safety (IIHS): Tests new models by crashing them into an energy-absorbing, deformable barrier at 40 mph.

Low Cab Forward: A truck design with a truncated front section and no hood, where engine and front axle are positioned under or partially under, the cab.

Manufacturer's Suggested Retail Price (MSRP): The retail price of the new motor vehicle suggested by the manufacturer, including the retail delivered price for each accessory or item of optional equipment physically attached to the new motor vehicle at the time of delivery to the new motor vehicle dealer that is not included in the retail price suggested by the manufacturer for the new motor vehicle.

National Highway Traffic Safety Administration (NHTSA): A federal agency that regulates safety features of vehicles and that crash tests new cars for front impact into a flat, rigid barrier at 35 mph, and side impact with the test car traveling 17 mph being hit broadside by another car traveling 34 mph.

NMDOT: New Mexico Department of Transportation

NMMVD: New Mexico Motor Vehicle Department

OEM: The original equipment manufacturer

Wholesale Price: The cost of the vehicle to the dealer minus the holdback, any factory incentives and rebates.

49CFR393: Parts and Accessories Necessary for Safe Operation

49CFR571: Federal Motor Vehicle Safety Standards

PART II SCOPE OF WORK AND SPECIFICATIONS

CES is seeking proposals from Offeror(s) who have the experience and can offer a complete product line of vehicles that can be configured and equipped to meet individual CES Members or Participating Entities' needs.

The standards and specifications provided below are intended to establish minimum requirements for the Offeror and provide a general overview of the quality and type of vehicles and services being requested. Always use the latest up to date versions of a standard, code, or specification.

A. GENERAL REQUIREMENTS

1. The Offeror must be licensed in the State of New Mexico to sell vehicles.
2. All vehicles shall be new and untitled.
3. **No school bus or Class 1 to Class 2 vehicles can be offered as a response to this RFP.**
4. The Offeror will demonstrate that its facility(s) possesses the resources to supply and support the vehicles offered under this solicitation.
5. All billings and invoices must identify the CES purchase order number, complete description of vehicle with all associated options being billed, and include the name of the vehicle, model number and vehicle identification number.

6. The contractor shall include a copy of any manufacturers' order guide with this proposal. Upon request, the dealer will provide a copy of the order guide to any CES Member or Participating Entity wishing to purchase a vehicle.
7. The prices for all vehicles shall be F.O.B. the Offeror's dealership, or any location within 100 miles of the dealership. If any additional cost to deliver a vehicle is required beyond 100 miles from the dealership, that cost must be identified on a price page. If no delivery costs are identified, the dealer will deliver the car to any CES Member or Participating Entity location at no additional charge.
8. The Offeror will furnish a complete set of specifications for all trucks offered that include all weights, heights, widths, van and body materials and other information to assist in the evaluation process.
9. It shall be the responsibility of the Offeror to assure that all recall notices and other technical service bulletins or notifications from the factory are sent directly to the CES Member or Participating Entity in a timely manner.
10. All standard equipment as identified in the manufacturer's literature, data books, and fleet buyer's guides shall be furnished without additional cost on regular production vehicles.
11. All optional equipment and accessories shall be original equipment from the vehicle manufacturer, or third party authorized by the vehicle manufacturer and installed at the factory or by the dealer.
12. Any dealer provided option must be priced separately and may only be included if specifically ordered by the CES Member or Participating Entity. Under no conditions may a CES Member or Participating Entity be charged additional costs for items such as ADP (Added Dealer Profit), additional rust proofing, pinstripes, upholstery preservative, undercoating (or similar dealer packs), conveyance or document fees, or advertising surcharges.

B. EMISSION STANDARDS

Light duty vehicles and trucks are to meet the most current emission standards. Used vehicle to meet 2010 emission standards. If the Federal Emission standards change during the term of the contract, then the Offeror must provide vehicles that meet the latest federal emission standards.

C. DELIVERY

1. All vehicles will be ready for immediate use upon delivery.
2. No additional cost for fuel will be added to the final invoice.
3. All vehicles ordered must be delivered within 5 days of the quotes delivery date, which has been accepted by a CES Member or Participating Entity. If a vehicle is delayed beyond the original quoted date, or if the delayed delivery is beyond the fiscal year (ending June 30th), CES with the agency approval, reserves the right to cancel the purchase order and the member agency will be under no obligation to select a different vehicle if the vendor is unable to deliver on time.
4. In the case of a delay, the CES Member or Participating Entity needs to be notified within five (5) business days of notice from the manufacturer to Offeror. The CES Member or Participating Entity will notify CES and the Offeror within seven (7) business days whether to proceed or cancel the order. CES, CES Member or Participating Entity will be under no obligation to select a different vehicle if the order is cancelled or to select a different vehicle if the contractor is unable to deliver on time.

5. All deliveries will be made Monday through Friday during normal business hours. Vendor will contact the CES Member or Participating Entity 72 hours prior to delivery to schedule a delivery time, location and date.
6. All vehicles shall be equipped with two (2) full sets of keys to include and special purpose keys or keyless remotes (security systems, locks, storage compartments, lights, etc.) at the time of delivery.
7. Offeror will provide owners with two (2) complete sets of operations and parts manuals and one (1) operational and parts manual in electronic format on CD-R, CD-RW, DVD-R or DVD-RW. If safety videos and handbooks are available, two (2) sets will be provided to the member at no cost on CD-R, CD-RW, DVD-R or DVD-RW.
8. Manufacturer's Certificate of Origin (MCO) or Manufacturer's Statement of Origin (MSO) needs to be provided to CES Member or Participating Entity after the Offeror receives payment from CES. All documents must show the legal name of the CES Member or Participating Entity.
9. All standard and optional equipment installed, fully assembled and serviced per manufacturers' specifications.

D. PRE-DELIVERY SERVICES

1. Each unit shall be DOT inspected and include the appropriate documentation and decal. In addition, each unit shall be equipped with the required fire extinguisher and reflective triangle kit.
 - a. Complete lubrication
 - b. Checking of all fluid levels to ensure that they are filled to manufacturers' specifications.
 - c. At time of delivery the fuel tank must be at least one-fourth (1/4) full as indicated on the fuel gauge. If dual fuel tanks are present, the vehicle must have at least one-fourth (1/4) tank in each tank. For diesel engines that use, Selective Catalytic Reduction (SCR) technology, a minimum of one-half (1/2) of a tank of diesel exhausts fluid when delivered to CES Member's or Participating Entities location or picked up by CES Member or Participating Entity. No additional cost for fuel shall be added to the final invoice.
 - d. Electrically powered vehicles will have all batteries fully charged.
 - e. All tires, including the spare, inflated to manufactures' specifications.
 - f. Wheels properly aligned to manufactures' specifications.
 - g. All vehicle mechanical, electrical and electronic operations are operating to manufacturers' specifications.
 - h. Inside and outside clean with all unnecessary tags, stickers and markings removed.
 - i. No decals or markings of any type pertaining to advertisements other than the manufacturer's name or model designation normally installed by the factory will be attached to the vehicle.
 - j. Vehicles will need to be checked for any appearance defects and fixed before delivery to CES Member or Participating Entity.

E. VEHICLE INSPECTION

1. Prior to acceptance by the ordering agency, each vehicle shall be subject to a complete inspection by the CES Member or Participating Entity.
2. Inspection shall include, but not necessarily be limited to, conformity to the specifications, mechanical integrity, quality or workmanship and materials, and appearance defects.

3. If a vehicle is returned to the contractor prior to acceptance, corrections shall be made within seven (7) calendar days or time as mutually agreed to by the CES Member or Participating Entity and contractor. Upon delivery of a corrected vehicle, the normal inspection time will start fresh. All corrections shall be made without any inconvenience to CES Member or Participating Entity.

F. WARRANTY

1. At the minimum, warranties shall be the manufacturer's standard new vehicle warranty. All warranties shall begin when the vehicle is placed in service. It shall be the responsibility of the ordering CES Member or Participating Entity to notify the contractor when a vehicle is actually put in service.

G. EXTENDED WARRANTY OPTIONS

1. Offeror is encouraged to offer extended warranties for all major mechanical, electrical and electronic components to cover the member after the standard warranty has expired.
2. The terms, conditions, stipulations, exceptions, limitations and warrantee periods will be clearly identified.
3. The Offeror must provide all warrantee work, ongoing maintenance, have an inventory of parts and have access to specialized or custom parts within 72 hours.
4. The term of a warranty is extended by any period of time during which repair services are not available to the CES Member or Participating Entity because of any war, invasion, strike, fire, flood or other natural disaster.

H. ORDERING AND BILLING

1. Fleet purchases will enable the CES Member or Participating Entity to order options as needed.
2. Trucks offered may have many options, provided by the manufacturer and authorized third party manufacturers, body builders or dealers.
3. All optional equipment and accessories to be original equipment from the manufacturer or provided by manufacturer approved aftermarket suppliers and installed by a factory qualified certified technician.
4. Except as restricted by the manufacturer in a fleet purchase, all factory incentives and rebates will be passed to the CES Member or Participating Entity. All participating dealer rebates, year-end rebates, and other discounts offered to the general buying public will be available to the CES Member or Participating Entity.
5. All dealers must identify the dealer holdback offered by the manufacturer as a percentage of the base invoice, the base MSRP, total MSRP, or other basis.

I. SAFETY

1. The Offeror will provide, at no charge to the Member/Participating Entity, MSDS information providing asbestos content of friction materials (brake pads, brake shoes, clutch discs, etc.), upon request.
2. Truck shall comply for FMVSS 208 Occupant Crash Protection
3. All vehicles offered shall comply with most current FMVSS standards.

J. WARRANTY MINIMUM REQUIREMENTS:

- a. Class 3-7 Medium Duty Trucks
 - a. Base vehicle - 2 years unlimited mileage
 - b. Engine - 3 years unlimited mileage
 - c. Transmission either manual or automatic – 2 years unlimited mileage
 - d. Steering and drive axles – 2 years unlimited mileage
 - e. Frame, Frame Rails and Crossmembers – 5 years unlimited mileage
 - f. Cab Structure – 5 years unlimited mileage
 - g. Full parts and labor on warrantable failures
 - h. Travel or towing when an engine or transmission is disabled by a warrantable failure or further operation would cause damage – 3-year unlimited mileage
 - i. Consumables not reusable due to covered failure
 - j. No deductible
- b. Class 8 Heavy Duty Trucks
 - a. Base vehicle - 2 years unlimited mileage
 - b. Engine - 2 years unlimited mileage
 - c. Transmission either manual or automatic – 2 years unlimited mileage
 - d. Steering and drive axles – 2 years unlimited mileage
 - e. Frame, Frame Rails and Crossmembers – 5 years unlimited mileage
 - f. Cab Structure – 5 years unlimited mileage
 - g. Full parts and labor on warrantable failures
 - h. Travel or towing when an engine or transmission is disabled by a warrantable failure or further operation would cause damage - 2-year unlimited mileage
 - i. Consumables not reusable due to covered failure
 - j. No deductible
- c. OEM parts
 - a. 12 months unlimited mileage
- d. Bodies
 - a. 12 months unlimited mileage
 - b. Full parts and labor on warrantable failures
 - c. No deductibles
- e. Extended Warranty Options
 - a. Offeror is encouraged to offer extended warranties for all major mechanical, electrical and electronic components to cover the member after the standard warranty has expired.
 - b. To cover parts, labor, and towing.
 - c. To include maintenance service plans.
 - d. The terms, conditions, stipulation, exceptions, limitations and warranty periods will be clearly identified.
 - e. Minimum period of 2 years after the standard warranty period.
 - f. Warranty and all terms, conditions, stipulation and warranty periods will be clearly identified to the member.
 - g. All warranty periods will begin when the vehicle is accepted by the Member/Participating Entity.

- K. New Mexico requires that 25% vehicles purchased by public agencies operate or have the option to operate on alternative fuel. The Offeror is encouraged to offer alternative fuel vehicles to meet state and federal air standards.**

1. The Offeror will submit the most up-to-date set of manufacturer specifications for any alternative fueled vehicle offered.
2. Bi-fuel vehicles must have upgraded intake valve seats or other modifications that promote engine life with hotter burning natural gas.
3. Offeror of electric vehicles will provide infrastructure information (charging locations) and informational assistance to members in establishing a local charging station.
4. Alternative fueled vehicles may operate on liquefied petroleum gas, natural gas, hydrogen, a blend of hydrogen with liquefied petroleum or natural gas, an emulsion of water-phased hydrocarbon fuel that contains not less than 20% water by volume, alcohol fuels that contain not less than 85% alcohol by volume, electricity, solar energy, a combination of at least 70% alternative fuel and no more than 30% petroleum-based fuel. As new technology introduces other alternative fuels, these vehicles can be added to the contract if they can be licensed to operate in New Mexico.
5. For alternative fueled vehicles, the Offeror shall provide list of locations where fuel can be procured.

L. CAB AND CHASSIS VEHICLES

1. The production vehicle shall be a current Model Year.
2. The Offeror is encouraged to propose a full line of chassis and cab, conventional and low cab forward. Complete specifications for models proposed must be included in the proposal package with prices.
3. Engines may be gas or diesel.
4. Chassis shall be heavy duty and the as-built, fully loaded Gross Vehicle Weight cannot exceed the Original Equipment Manufacturers (OEM) GVWR.
5. Engine shall meet current Federal Emission standards for diesel, gas and alternative fueled trucks.
6. The front and rear springs shall have a ground load rating equal to or exceeding the GVWR of the vehicle.
7. The fuel system shall meet the minimum requirements FMVSS be supplied by the OEM. Any chassis fuel system modifications shall be fully compliant with FMVSS and Federal Emission Standards.

M. TRANSMISSION

1. The transmission shall be heavy-duty OEM installed.
2. Manual transmissions with five (5) or more speeds can be offered.
3. Automatic transmissions with four (4), five (5), six (6) speeds or more speeds can be offered.
4. Transmission auxiliary cool is to be offered.
5. Four-wheel or all-wheel drive vehicles may be offered.

N. ENGINES

1. Diesel and gas engines offered must be of the latest design, fuel efficient and meet or exceed the most current federal, state and local emissions standards.
2. Diesel engines that use biodiesel must conform to the specifications of ASTM 6751, Biodiesel Standard.
3. For diesel engines that use Selective Catalytic Reduction (SCR) technology. Various tank sizes need to be offered.
4. Diesel engines must be able to operate us at minimum B-5 biodiesel fuel. Manufactures are encouraged to provide vehicles that can operate with B-20 biodiesel fuel.

5. CNG, LNG, LP and Hybrid Electric power plants can be offered as options.
6. Engine and emission systems to be tuned to proper operating condition and operating per manufactures' specifications.
7. All water-cooled vehicles will have antifreeze protection to -35°F or to meet regional delivered levels.
8. Various sizes and types of single and dual-fuel tanks should be available depending on the fuel type and vehicle configuration ordered and must meet or exceed federal standards.

O. ALTERNATIVE FUEL VEHICLES

1. The Offeror is encouraged to offer alternative fuel vehicles to meet state and federal air standards.
2. For electric vehicles, the Offeror shall provide charging information and equipment.
3. Alternative fueled vehicles may operate on liquefied petroleum gas, natural gas, hydrogen, a blend of hydrogen with liquefied petroleum or natural gas, or bio diesel. As new technology introduces for other alternative fuels, these vehicles can be added to the contract if they can be licensed to operate in New Mexico.

P. BODIES AND UTILITY BED OPTIONS

1. The Offeror is encouraged to propose a full line of bodies for various member operations.
2. May include, but not be limited to: Stake beds, dump beds, lift beds, lift gates, water tanks, component body beds, service bodies, haulers, emergency service bodies (including police, fire, etc.), refuse disposal, roll-off, hazardous material (HazMat) related service beds/hauling, mounted cranes or booms, refrigerated box, box, or Member designed bed option.
3. Third-party equipment is permitted, and factory or dealer installed is preferred.
4. Bodies or utility beds offered may be hydraulically, mechanically, and/or electrically operated, powered by the vehicle's electrical supply, a power-take-off (PTO), independent or separate power source. PTO's shall be installed in accordance with vehicle manufacturer's recommendations.
5. In the event the factory installed vehicle electrical system requires modifications/upgrades to provide power to the optional utility bed, installing dealer shall ensure modifications/upgrades will be in accordance with the vehicle manufacturer's specifications, and not void the manufacturer's warranty.
6. Must be securely fastened to the basic vehicle structure and bolted securely through chassis rail flange as per chassis manufacturer design specifications.
7. Shall not exceed the manufacturer's vehicle load recommendations or the gross vehicle weight rating (GVWR). The factory-installed vehicle braking system shall meet or exceed the US Department of Transportation (USDOT) and New Mexico Department of Transportation (NMDOT) stopping requirements for the total vehicle GVWR.
8. All options provided shall comply with USDOT and NMDOT requirements for width, height, weight, lighting, safety, and other requirements for operation on city, and county roads, and state and federal highways. Vendor agrees to consult and provide CES Members or Participating Entities requirements and specifications for CES Members or Participating Entities designed bed options to comply with USDOT and NMDOT requirements.
9. Dealer shall supply to the CES Members or Participating Entities any USDOT and/or NMDOT certificates stating compliance for the vehicle, and/or utility bed installed on the vehicle, if applicable and/or required for registration and use on highways.

10. Upon request by the CES Members or Participating Entities prior to vehicle delivery, the dealer will assist CES Members or Participating Entities in obtaining or provide service to obtain any required vehicle inspections. Vehicle shall pass all required inspections prior to passing of vehicle title to Member/Participating Entity.

Q. BRAKES

1. Brakes should include, but not limited to, standard four-wheel hydraulic disc, air, antilock systems, engine and compression brake systems that are appropriate for the size of the vehicle.
2. Braking systems offered on vehicles offered shall comply with the minimum stopping distances as stated in USDOT, 49 CFR Part 571 Federal Motor Vehicle Safety Standards.
3. Air braking systems offered shall comply with USDOT, 49 CFR Part 571 Federal Motor Vehicle Safety Standards: Air Brake Systems.
4. Engine brakes may be offered as a vehicle braking option.

R. STEERING

1. OEM Power steering is required for all vehicles offered.
2. Steering shall incorporate an OEM factory installed tilt wheel and cruise control.

S. INSTRUMENTAL PANEL

1. The instrument panel shall have lamps sufficient to illuminate all instruments. All instruments shall be accessible for maintenance and repair and shall be mounted so that each instrument and all indicator lights are clearly visible to the driver. Chassis OEM gauges shall be used in the driver's instrument cluster. If OEM gauges are not available, then gauges of equality quality can be used. Lights in lieu of the listed gauges will not be acceptable.

T. BACK-UP WARNING DEVICE

1. Shall be waterproof that is readily audible outside each vehicle when the transmission is in reverse.
2. A rear obstacle detection system can be offered.

U. TWO-WAY RADIO AND ANTENNA PRE-WIRE

1. A two-way radio 12-volt DC supply, ground harness and cable conduit shall be installed in the driver's area.
2. Provide noise suppression due to alternator, lighting, engine or other source.

V. MIRRORS

1. The truck shall be equipped with a corrosion-resistant, outside rearview mirror on each side of the truck. The mirrors shall permit the operator to view the highway along both sides of the truck, including the rear wheels. The mirrors are to be designed in such a way that allows for firm attached to the truck to prevent vibration and loss of adjustment, but not losing the folding feature.

W. SUN VISOR

1. Windshield sun visor system shall be standard OEM chassis visor(s). Visors shall be shaped to minimize light leakage between the visor and windshield pillars. Visors shall store out of the way and shall not obstruct airflow from the climate control system or interfere with other equipment. Deployment of the visors shall not restrict vision of the rearview mirrors. Visor adjustments shall be made easily by hand. Sun visor construction and materials shall be strong enough to resist breakage during adjustments.

X. BUMPERS

1. The front bumpers shall be OEM standard design.

Y. EXHAUST

1. The exhaust system shall be OEM standard design properly installed with heat shields, baffles and vibration mounts as required.

Z. WHEELS AND TIRES

1. Tires will be as provided by the OEM or dealer and designed to meet or exceed the GVWR of the vehicle.
2. All tires shall be of the same brand and sized matched for the vehicle.
3. Vehicle wheels shall be sized according to OEM chassis specifications.
4. Steel or brass valve stems shall be used on all wheels with elbow extensions on the inside rear dual for access.
5. The combined load rating of the tires shall equal or exceed the GVWR of the vehicle.

AA. MUD FLAPS

1. The vehicle shall have commercial grade anti-sail mud flaps behind the front and rears wheels.
2. Will not have any visible imprinted logo or advertising.
3. Splash guards will be installed on all trucks and will be attached in a manner that prevents the splashing of mud or water on the windshield of other motor vehicles.
4. Extend to a length of not more than eight inches (8") from the ground, be wide enough to cover the full tread or treads of the tires being protected.
5. Be installed close enough to the tread surface of the tire or wheel to control the side throw of the bulk of the thrown road surface material.
6. Be attached in a manner that, regardless of movement either in the splash guards or the vehicle, the splash guards retain their general parallel relationship to the tread surface of the tire or wheel under all ordinary operating conditions.

BB. BATTERIES

1. To be provided per the design specification of the vehicle manufacturer to handle the requirements for the chassis, body and all accessories.
2. Battery cables installed shall be a continuous run and sized to match the electrical system's maximum current draw. Battery cables shall be color-coded and supported with rubber or plastic-coated clamps.

3. Batteries need to have a mechanism to securely hold down the battery to the battery tray.

CC. ALTERNATOR

- A. OEM supplied of the highest rating available to handle the chassis, body and any accessories added by the manufacturer, dealer or body supplier.

DD. BODY

1. Corrosion Protection: Per OEM manufacturer's specifications.

EE. EXTERIOR LIGHTING

1. All lights for taillights, brake light, turn signal, back-up, collision avoidance lights and clearance marker lights shall be Light Emitting Diode (LED).
2. Daytime running lights can be offered if not a standard feature offered by the manufacturer.

FF. DRIVERS AREA

1. The driver's area shall consist of an ergonomically designed molded dash console, located conveniently to the driver's seated position and in full view of the driver.
2. Equipped with door pockets, full-width dual sun visors with elastic storage straps, wired for radio, area to mount a radio, storage area for logbook, column-mounted turn signals with flash-to-pass function.
3. All interior rearview mirrors will be day/night adjustable.
4. All vehicles will have dual windshield wipers with washers and left and right side outside mirrors. All truck mirrors will be heavy-duty, top of the line systems and meet federal and state size requirements.
5. Interiors must offer a choice between long-lasting vocational units equipped for hard and messy work and more deluxe interiors and seating.
6. All switches are to be properly labeled and illuminated.
7. Door activated dome lights are to be provided.
8. Tinted glass will comply with New Mexico state law at the time of order.

GG. SEATING

1. Various options and configuration need to be offered for driver and passenger seating with adjustable lumbar support.
2. All vehicles must have factory-installed seat belts. When possible, safety-belt pre-tensioners will be installed.

HH. PAINT AND TRIM

1. The color shall be standard colors offered from the OEM manufacturer. Custom paint colors can be Offeror as an option.
2. All exterior surfaces shall be smooth and free of wrinkles and dents.
3. Exterior surfaces to be painted shall be properly prepared as required by the paint system supplier.
4. Drilled holes and cutouts in exterior surfaces shall be made prior to cleaning, priming and painting to prevent corrosion.

5. To the degree consistent with industry standards for commercial vehicle finishes, painted surfaces shall have gloss and orange peel shall be minimized.
6. All exterior finished surfaces shall be impervious to diesel fuel, gasoline and commercial cleaning agents.
7. Paint shall be applied smoothly and evenly with the finished surface free of dirt and the following other imperfections:
 - a. Blisters or bubbles appearing in the topcoat film
 - b. Chips, scratches, or gouges of the surface finish
 - c. Cracks in the paint film
 - d. Craters where paint failed to cover due to surface contamination
 - e. Over spray
 - f. Peeling
 - g. Runs or sags from excessive flow and failure to adhere uniformly to the surface
 - h. Chemical stains and water spots

II. SAFETY EQUIPMENT

1. Shall at the minimum comply with FMCSR 393.95.

JJ. UNDERCOATING

1. Per OEM manufacturer's specifications.

KK. HEATING AND AIR CONDITIONING

1. Per OEM manufacturer's specifications.

LL. LICENSE PLATES

1. Provisions shall be made to mount standard size U.S. license plates per SAE J686 on the rear of the truck.

MM. OPTIONAL EQUIPMENT AND FEATURES

1. The Offeror is to provide a list of optional equipment and features that can be offered to customize the vehicle to meet the CES Members or Participating Entities needs, such as hydraulic and electric gate lifts, ramps, tow hooks, generators, lift buckets, power take off unit (PTO), ladder racks, wet unites, fire truck bodies, etc.
2. The Offeror will need to provide details on the process that will be used by CES Members or Participating Entities to identify the optional equipment and features and how they will be implemented in to the design of the vehicle.

NN. USED VEHICLES

1. Used vehicles may be offered under solicitation. Pricing shall be based upon Dealer acquisition price + cost to comply to Federal and NMDOT safety standards + vehicle service + transportation + dealer markup not to exceed a maximum of XX.XX% to arrive at Selling Price
2. According to the requirements for 13-1-155 A NMSA 1978, any used item of "... tangible personal property the estimated cost of which exceeds five thousand dollars (\$5,000), ..." requires at a minimum "... a written warranty for at least ninety days after date of delivery and an independent "certificate of working order" by a qualified mechanic or appraiser."

OO. REPLACEMENT PARTS

1. OEM or aftermarket parts approved by the OEM.
2. If aftermarket parts are provided for warranty repair, they must not void the manufacturer's warranty.

PP. Biodiesel and Alternative Fuel Systems Retrofit

1. Biodiesel and alternative fuel system kits and installations may be offered.
2. Biodiesel and alternative fuel system kits shall be installed in accordance with the kit manufacturer's instructions.
3. Biodiesel and alternative fuel systems shall not void vehicle manufacturer's engine or emission warranties.
4. All installed biodiesel or alternative fuel systems shall be warranted against defects and installation.

QQ. MEDIUM AND HEAVY-DUTY TRUCK REPAIR AND RELATED SPARE PARTS

1. Vendors may offer medium/heavy-duty truck parts, tires, and accessories. Service-related equipment (mechanics tool sets, jacks, equipment lifts, shop tools, etc.) will not be allowed under an awarded contract. However, specialty and/or proprietary tools or equipment directly related to a specific vehicle or optional utility bed and required for proper service, maintenance and operation of the specific vehicle, shall be allowed.
2. Safety equipment shall include, but not be limited to: first aid kits, daytime running lights, fire extinguishers, mirrors, strobe lights, and triangle kits. Servicing of safety equipment is requested.
3. Undercarriage and suspension parts shall include, but not be limited to: air bags, chassis springs, drag links, kingpin kits, power steering filters, shock absorbers, steering gear pumps and gears, and tie rod ends.
4. In vehicle monitoring systems and GPS tracking systems can be offered.
5. Brake and wheel end parts shall include, but not be limited to: air compressors and dryers, caliper kits, chambers, diaphragms, drums, master cylinders, brake pads and shoes, tube and tubeless rims, side and lock rims, rotors, wheel bearings, seals, discs, and spacers, slack adjusters, and steel brake tubing.
6. Electrical parts shall include, but not be limited to: alternators, auxiliary heaters, batteries, battery cables, heaters, and terminals, block heaters, circuit breakers, heater motors, horns, wire connectors, jumper cables, dome, security, marker, fog, and head lights, and various switches.
7. Exhaust parts shall include, but not be limited to: brackets, clamps, pipes and tubing.
8. Engine maintenance parts shall include, but not be limited to: charge air coolers, engine components, fans, filters, overhaul kits, radiators, thermostats, water pumps and other applicable maintenance parts.
9. Transmission, clutch and axle parts shall include, but not be limited to: center bearings, clutches, flywheels, manual and automatic transmissions, U-joints, yokes and repair kits.
10. Hood and cowl parts shall include, but not be limited to: big screens, fuel caps, hoods, instrument and panel gauges, and wiper blades.
11. Lubricants and chemicals shall include, but not be limited to: absorbents, antifreeze, brake and power steering fluids, cooling additives, fiberglass body filler, oil and grease, shop chemicals, paints, waxes, polishers, and cleaners, windshield washer fluids, and hand cleaners.

12. New tires offered shall be from known brands such as: Bridgestone, Firestone, Goodyear, Kelly, Michelin, Toyo, Yokohama, or equal. Bias Ply and Radial tires may be offered. Tires requiring tubes shall be installed with new tire tubes and flaps. New valve stems shall be installed on new tubeless tires. Used tires are not allowed. Retreaded tires that meet Federal requirement can be offered.
13. Remanufactured, recapped, or retread tires may be offered from known brands/manufacturers such as: Bandag, Chicago Tire Inc., Wilson Tire Company, or equal.

RR. SERVICES

1. Repair, maintenance and warranty repair services may be offered. Body repair services are requested. Specialty repairs may be performed by an authorized sublet repair facility.
2. Contract vendor offering warranty and/or out-of-warranty repair service under an awarded contract shall have only ASE-Certified Master Truck Equipment Technicians, or at a minimum technician with prior medium-heavy duty truck/bus experience in air brake systems, steering and suspension, to repair vehicles.
3. Warranty repairs shall only be performed by manufacturer authorized repair facilities for vehicles and/or optional installed equipment.
4. Tire repair and maintenance services may include, but not be limited to: balancing, re-grooving, rotating, patching, tube replacement, wheel stud replacement, etc.

SS. TRAINING

1. Training for maintenance staff on the proper service and repair of the vehicle and body.
2. Training for drivers on the proper and safe operation of the vehicle and body with special emphasis on how the emission control's function.

TT. PUBLICATIONS AND PRINTED MATERIALS

1. Each vehicle will have a complete set of operation, and warranty publications. The following shall be provided at time of delivery:
 - a. Operation Manual: A complete operations manual and troubleshooting guide with a detailed manufacturer's parts list that covers the conversion features on the vehicle as listed in this specification. The manual will provide complete, comprehensive instructions to include but not limited to air conditioning systems, tie downs, heater, emissions, engine operations, lights, radio, wiring diagram and body modifications, accessories and related equipment.
 - b. A complete schematic diagram of all hydraulic lines, air lines and electric circuits.
 - c. Warranty Information: Each vehicle will have a published listing of contractor warranty repair locations, including address, telephone number, and contact name.

UU. ADDITIONS TO THE SCOPE OF WORK

Offerors who receive a contract as a result of this solicitation, and through the duration of the contract, may propose vehicles, equipment, products, and related services that were either inadvertently left out of this RFP, or are new technology. Such proposed items shall be submitted to CES for review and must remain consistent with the spirit of the RFP. Items approved shall be added to the contract through an amendment, mutually agreed upon by all parties to the contract.

****Omissions in this proposal of any provision herein described shall not be construed as to relieve the vendor of any responsibility or obligation to the complete and satisfactory delivery, operation, and support of any and all equipment or services.***

ATTACHMENT B
TO
ACCEPTANCE OF PROPOSAL AND OFFER
AND CONTRACT AWARD

PRICING

All pricing including updates/changes must be uploaded through the vendor portal in the eProcurement System for review and approval by CES.

A Price List/Pricing: The Offeror will upload through the vendor portal electronic copies of or provide electronic access to the approved current price list(s) for products and services offered under this solicitation (RFP) upon execution of this contract. The Offeror must keep current all pricing for any contract issued as a result of this solicitation. Should the Offeror fail to update pricing with CES, the Offeror shall honor their pricing on file with CES at the time of their quote submittal to the CES Member/Participating Entity. Discounts off the current price list are permitted and must remain firm throughout the life of the contract. Discount off list price must be clearly noted in the price quote to the member. All pricing must include the CES administration fee.

B New Technology and Products: New products or related services announced by manufacturer and/or Contractor may be added to this existing contract. Pricing shall be equivalent to the percentage discount of other product(s); is substantially superior to the original product(s) offered; is discounted in a similar or to a greater degree; and if the product(s) meet the requirements of the original RFP. No products may be added to avoid competitive procurement procedures. CES is responsible for approving any product, service or technology for this contract. CES can reject any approved additions, any new product, service or technology for this contract, without cause.

C Price Quote/Proposal: When preparing a quote/proposal under a CES awarded contract, the Offeror must clearly identify and break out quantities, descriptions, supplies, materials, equipment and services into individual line items as they appear on the Offeror's awarded price schedule or pricing methodology. At a minimum all quotes or proposals shall include the following: description, "hourly labor rate or the list/catalog unit price", "the per cent discount offered" and the final "CES price". All stated prices must include the CES one point two five percent (1.25%) administrative fee. Shipping/Freight costs and the New Mexico Gross Receipts Tax as applicable must be stated in separate lines.

D Price Reduction, Promotional and Special Pricing: A price reduction can be offered at any time and will become effective upon approval by CES. CES reserves the right to approve or disapprove such requests.

E Price Increases: Anytime during the life of the contract, pricing can be updated (increased/decreased) with proper justification letter from the manufacturer or distributor thereof and will become effective upon approval by CES. CES reserves the right to approve or disapprove

such requests.

F Price Surcharges: Depending on current market conditions, surcharges may apply as approved by CES.

COST PROPOSAL

Category 1 - Lot 1 - Medium & Medium & Heavy-Duty Trucks
Heavy-Duty Trucks

Inland Kenworth US, Inc.

2024-24

[illegible]

[illegible]



PB L770 (F770)
1700 Woodbrook St
Denton, Texas 76205

Stock

Annamarie Kirkpatrick
Cell Phone:
Office Phone: 940-591-4000
Email: A.Kirkpatrick@paccar.com

Stock Order

Vehicle Summary

	Unit		Chassis	
Model:	L770	Fr Axle Load (lbs):	20000	
Type:	Full Truck	Rr Axle Load (lbs):	46000	
Description 1:	Q743 RH L9N	G.V.W.R. (lbs):	66000	
Description 2:	Inland	G.C.W. (lbs):	72000	
	Application	Road Conditions:		
Intended Serv.:	Refuse/Landfill	Class A (Highway)	94	
Commodity:	Refuse, Scrap, Recycling	Class B (Hwy/Mtn)	6	
		Class C (Off-Hwy)	0	
	Body	Class D (Off-Road)	0	
Type:	Automated Side Loader	Maximum Grade:	6	
Length (ft):	20	Wheelbase (in):	221	
Height (ft):	13.5	Overhang (in):	75	
Max Laden Weight (lbs):	20000	Fr Axle to BOC (in):	0.1	
	Trailer	Cab to Axle (in):	220.9	
No. of Trailer Axles:	0	Cab to EOF (in):	295.9	
Type:		Overall Comb. Length (in):	353.3	
Length (ft):	0			Special Req.
Height (ft):	0			
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	40			
Width (in):	102			
Height (ft):	13.5			

Approved by:

Date:

Note: All sales are F.O.B. designated plant of manufacture.

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
Base Model				
0005201	S	Model L770 Peterbilt's Model L770 is built to withstand the harsh demands of the refuse industry. The rugged, aluminum cab delivers best-in-class durability for increased uptime and lap seam construction on a zinc-coated steel sub-frame for corrosion resistance. Bulkhead-style doors provide years of watertight performance. This low-cab forward vehicle adds a new dimension of productivity and versatility. An industry-leading, 65-degree cab tilt enhances maintenance and serviceability. Body installation is cost effective and efficient and the center console provides convenient access to body control integration points.	232,861	16,475
0091180	S	Refuse, Scrap, Recycling	0	0
0093040	O	Refuse/Landfill Truck which picks up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops and starts. Unloading can be at transfer station or at landfill (may enter landfill).	0	0
0095120	O	Automated Side Loader	0	0
0098170	S	United States Registry Canadian Registry Package Requires Air Conditioning Excise Tax Canada, Speedometer to be KPH ipo MPH, Daytime Running Lights and Rubber Battery Pad in Bottom of Battery Box.	0	0
Configuration				
0200631	U	Kenworth Model L770	0	0
0200670	O	Agility Natural Gas Fuel System Assembler - Fontana, CA	0	0
Frame & Equipment				
0514170	O	10-3/4" Steel Rails 343-450" 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	1,207	251
0601500	O	Full Steel Inner Liner	1,054	713
0611330	O	Zinc Coated Anti Corrosion Treated Frame Rails Requires Frame Rail Code. Zinc Phosphate coating will replace the standard frame rail primer and provide added corrosion prevention for your customer's operating in severe conditions or in climates where vehicle rust is common.	393	4
0620110	O	FEPTO Provision 9in Bumper Extension Includes 1350 Series Front Drive PTO Attachment Provision, Radiator with PTO Cut-Out in Grille, Radiator Protection Sleeve, and Bumper Extension	1,670	42
0644090	S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
0651010	O	Peterbilt Rear Mudflaps and Straight Hangers Mudflaps aid in protecting the frame and undercarriage from road salt, grime and debris that can cause rust and corrosion. Mud flaps also shield other vehicles from gravel, rocks and road spray.	130	25
0713130	O	(2) Solid Mount Cable Hooks	0	40
Front Axle & Equipment				
1011360	O	Dana Spicer D2000F 20,000 lb, 3.5 in. Drop Factory front axle alignment to improve handling & reduce tire wear. Zerk fittings on tie rod ends, king pins, & draglink ball joints for ease of maintenance & help extend service life of components. Cognis EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	491	-26
1114030	S	Taper Leaf Springs, Shocks 20,000 lb Standard with Heavy Resistance Shocks.	0	0
1243010	S	Power Steering Sheppard M100 Dual Gear For use with 16,000 to 20,000 lb. axle ratings. Glidekote splines on steering shaft extend service life of components.	0	0
1354840	O	PHP10 Iron PreSet PLUS Hubs PHP10 iron PreSet PLUS hubs have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug on drive and trailer hubs for inspection of metal particles in lubricant, with a long life oil seal and bearings are pre-adjusted. Use with Front Axle.	214	84
1380230	O	Dana Spicer 5" Drop IPO 3.5", Front Axle 5" drop (127 MM) provides lower chassis suspension and profile. Offers maximum maneuverability and the light weight solution. Available for a variety of brakes.	0	0
1380280	O	Bendix Air Cam Front Drum Brakes 16.5x7 For use with 16,000 lbs to 23,000 lbs steer axles or front drive axles. Includes automatic slack adjusters & outboard mounted brake drums.	1,379	0
1391410	O	Gusseted Cam Brackets, Steer Axle	28	0
1392970	O	Heavy Duty Cam Bushings, Steer Axle	46	0
Rear Axle & Equipment				
1523440	S	Dana Spicer D46-172 46,000 LBS Dana Spicer D46-172 46,000 lbs tandem drive axles offer efficiency improvement, axle weight reduction and reduced lube quantity.	0	0
1616300	O	PHP10 Iron PreSet PLUS Hubs	226	0
1672630	O	Differential Lock Both Axles Air Rocker Switch Occupies the Space of One Gauge	2,049	60
1680065	O	Remote Mount Rear Axle Vent	120	2
1680440	O	Refuse Service Brakes, Steer And Drive Axles Designed for heavy-duty applications for refuse industry, providing long brake life, safety and performance.	0	0

100% Complete

**KENWORTH**

Sales Code	Std/ Opt	Description	\$ List	Weight
1680450	O	Rear Brake Camshaft Reinforcement Rear brake camshaft reinforcement helps guard against wear and corrosion.	77	9
1680460	O	Heavy Wall, Drive Axle(s)	1,886	88
1680470	O	Lube Pump, Drive Axle(s) Used to circulate oil within the axle housing. Recommended for use on 46,000 or greater axles used in refuse or severe service applications.	531	36
1680490	O	Gusseted Cam Brackets, Drive Axle(s)	71	2
1680500	S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0	0
1680525	O	Pneumatic Park Brake	0	0
1680550	O	Upsize Parking Brakes	236	0
1680920	O	Heavy Duty Brake Drums, Drive Axle(s) Use with 16.5x8.6 Brakes	148	27
1680932	O	Center Of Gravity From Top Of Frame, Refuse Body Enter desired center of gravity range (from 10"-99") in narrative field. <i>Narr 30</i>	0	0
1680933	O	Body Plus Payload Weight, Refuse Body Enter desired body plus payload range (from 10,000lbs. to 80,000lbs.) in narrative field. <i>Narr 18000</i>	0	0
1682710	O	Anti-Lock Braking System (ABS) 6S6M ABS-6. Includes air braking system.	532	35
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0	0
1687020	O	Bendix Air Cam Rear Drum Brakes 16.5x8.6 Bendix Air Cam Rear Drum Brakes to fit all heavy haul, construction, refuse and highway truck and tractor applications. Includes Automatic Slack Adjusters & Outboard Mounted Brake Drums. Refer to TSB 11-57 for more information.	688	0
1706140	O	Ratio 6.14 Rear Axle	0	0
1824410	O	Hendrickson HMX EX 460 46,000 LBS., 54" Haulmaax, 70K Creep Rating. Includes Traax Rod as standard, option 1920905 is not needed or available. Progressive load spring system easily adjusts to the load for an enhanced combination of empty-ride quality and loaded stability.	1,518	-84

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
1921375	O	16.5" Saddle Height HMX EX 400/460 IPO Std 18.5"	413	0
1921965	O	HMX EX Double Rebound Strap Kit	272	0
1922615	O	HD Shock Absorbers For HD Suspension Pkg. Hendrickson HMX EX	483	0
Engine & Equipment				
2056321	O	L9N 320@2000 GOV@2200 1000@1300 HHDD (2024 Emissions) N21430 N201 0.....Reserve Speed Limit Offset (N21410 N202 0.....Maximum Cycle Distance (N202 N21400 N203 252...Reserve Speed Function Reset N21320 N205 120...Standard Maximum Speed Limit N21420 N206 0.....Maximum Active Distance (N20 N21470 P062 NO....Cruise Control Auto Resume (N21480 P068 NO....Auto Engine Brake in Cruise N21450 P026 NO....Gear Down Protection (P026) N21440 P015 YES...Engine Protection Shutdown (N21340 P112 93....Hard Maximum Speed Limit (P1 N21350 P001 65....Maximum Accelerator Pedal Ve N21370 P059 65....Maximum Cruise Speed (P059) N21590 P230 YES...Enable Hot Ambient Automatic N21530 P233 YES...Enable Impending Shutdown Wa N21540 P234 60....Timer For Impending Shutdown N21460 P046 1400..Max PTO Speed (P046) N21520 P030 5.....Timer Setting (P030) N21570 P031 NO....Idle Shutdown Manual Overrul N21610 P172 40....Low Ambient Temperature Thre N21630 P171 80....High Ambient Temperature Thr N21550 P516 100...Engine Load Threshold (P516) N21510 P520 YES...Enable Idle Shutdown Park Br N21620 P173 60....Intermediate Ambient Tempera N21330 N207 0.....Expiration Distance (N207) N21500 N209 0.....Expiration Distance (N209)	24,403	-70
2091120	S	EMUX Electronics Architecture	0	0
2091305	O	Engine Idle Shutdown Timer Enabled	0	0
2091315	O	Enable EIST Ambient Temp Override	0	0
2091372		Eff EIST NA Expiration Miles	0	0
2091640		Effective VSL Setting NA	0	0
2092016	O	Typical Operating Speed 62 MPH	0	0
2092032	O	Powertrain Optimized for Performance Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
2140220	O	CARB and EPA Engine Idling Not Required	0	0
2140400	O	Reinforced Belly Pan	181	0
2140420	O	Engine Oil Test Port Expanded availability of the engine oil test port to include availability with MX-11 engines.	176	0
2140450	O	Remote PTO/Throttle, 12-Pin Eng Bay Remote Control Provision	106	0
2140660	O	CARB Emission Compliant Engine	0	0
2147460	S	Bed Plate for PX-9, L9N Engines Designed to increase engine longevity by incorporating a stiffener bracket on the bottom side of the engine, inside the oil pan, for additional reinforcement. Required for all PX-9/L9N refuse applications and recommended for other high load 9-liter applications.	0	0
2511400	O	160 Amp Alternator, 36 SI Brushless The 33SI is a heavy duty brushless alternator that provides more output and service life for today's diesel powered vehicles with large electrical load requirements. The 33SI is offered in 12 volt and 24 volt models with a J180 hinge mount.	635	10
2516070	O	Remote Voltage Sense Wiring	16	0
2521090	O	Immersion Type Block Heater 110-120V Standard location is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	92	2
2522110	O	PACCAR 12V Starter, N/A PACCAR MX Engines PACCAR 12-volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0	0
2538090	O	3 PACCAR Premium 12V Starting Batteries 3000 CCA	-31	0
2539740	O	Kissling Battery Disconnect Switch 300AMP Dual Tab Mounted on Battery Box	164	3
2621000	S	2-Speed Fan Clutch For Frequent Start/Stops A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	0	0
2723210	S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0	0
2921170	O	Spin-On Fuel/Water Separator for Natural Gas Engines	0	0
2921210	S	No Fluid Heat Option for Fuel Filter	0	0
2921310	S	No Electric Heat Option for Fuel Filter	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 520 1242 sq in, 579 1325 sq in, 535/536/537/548 949.3 sq in, 537/548 VOC 1000.3 sq in, 567 1440 sq in, 589 1604 sq in.	0	0
3120320	O	Bugscreen	148	5
3120450	S	Stainless Steel Grille	0	0
3120710	O	Lower Front Coolant Pipe And Coolant Extracting Port	38	0
3261980	S	Heavy Duty Air Cleaner Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0	0
3365450	O	Exhaust Single LH Vertical Natural Gas Engines Only	7,845	-1,352
3381860	O	Exhaust 90 Degree Diffuser	153	0
Transmission & Equipment				
4052970	O	Allison 4500 RDS-P Transmission, Gen 6 Rugged Duty Series	22,238	390
4210190	O	1810 HD Driveline, 1 Midship Bearing 4.5in x .180 wall tubing	-529	15
4216590	O	1710 Driveline Interaxle For tandem rear axles	-122	-5
4233910	O	(1) Dash Mounted Single Acting EOH PTO Control Electric-over-hydraulic, spec'ing PTO switch does not ensure the PTO will fit. Sends signal to Allison to engage PTO.	117	1
4250900	O	Main Transmission Rear Support Additional rear support for the transmission to provide a firm, durable design that improves stabilization of the drivetrain in rugged terrain	92	11
4252170	S	Auto Neutral Activates With Parking Brake Auto Neutral helps improve jobsite safety by reducing the possibility of the truck moving due to throttle application.	20	0
4252890	O	Allison FuelSense Not Desired Dynamic Shift Sensing	-131	0
4252950	O	Omit Allison Neutral At Stop	0	0
4253060	O	Remote Mount Allison Transmission Vent	121	2
4256020	S	Console Mounted Push Button Shifter	0	0
4256740	O	Allison 6-Speed Configuration, Wide Ratio Gears Allison 4500 transmission only	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
4256870	O	Allison Output Function S Neutral Indicator Allison output function S Neutral Indicator for PTO. Required on Refuse Packer Applications. With this configuration NEUTRAL only, PTO engagement is permitted only when the transmission is in Neutral. Once the transmission is in Neutral, the PTO is automatically engaged and fast idle is initiated when the PTO switch is on. In addition with this configuration Pack-on-the-fly, the PTO is automatically engaged and fast idle is initiated when the PTO switch is On concurrently with shifting of the transmission to Neutral.	0	0
4256910	O	Allison Transmission Fluid Test Port Remote coupler. The fluid test port provides easy access to transmission fluid for testing from its location under the hood on the right-hand frame rail.	193	0
4256990	O	Rolling Direction Change Shift Inhibit Feature Allison transmissions. A programmable feature that keeps the transmission from shifting from Drive to Reverse or from Reverse to Drive above a preset speed. This wireless function is enabled when a switch is closed to complete the circuit between input wire 101 and ground. Frequently the function is interfaced with a switch indicating activation of another vehicle function, such as application of the service brakes. When the function is enabled, the TCM will recognize the request for a direction change shift, Reverse-to-Drive or Drive-to-Reverse. If all other operating conditions are acceptable, the TCM will command the requested shift. The enable remains in effect until the switch is opened, followed by the selection of a different direction, Reverse or Drive, at the shift selector. This could be used for doc spotters and refuse. If the function is not enabled, any shift which results in a change of direction is inhibited.	0	0
Air & Trailer Equipment				
4510210	S	Bendix AD-HF EP Air Dryer, Heater Coalescing filter, extended purge. Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technology in the the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	0	0
4520180	O	Air Tank Valve Guards	96	0
4540420	S	Nylon Chassis Hose	0	0
4540910	O	Compressor Discharge Line Test Valve	395	0
4542320	O	Central Location For Air Tank Drain Valves Wire braid hose to air tanks. (Not available with optional drain valves.)	406	4
4543320	S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
		factory installation. See ECAT to determine number or location of air tanks installed.		
4615250	O	Fitting For F/O Air Port The furnished by owner fitting air port is mounted outboard of the driver's seat. This allows operators access to pressurize truck air, to maintain clean air in the cab.	52	0
Tires & Wheels				
5032320	O	FF: GY 20ply 315/80R22.5 G289 WHA Diameter = 43.1 inches; SLR = 20.0 inches. Compares to Michelin XZUS 2 and Bridgestone M860 tread.	537	-24
5132320	O	RR: GY 20ply 315/80R22.5 G289 WHA Diameter = 43.1 inches; SLR = 20.0 inches. Compares to Michelin XZUS 2 and Bridgestone M860 tread.	5,180	248
5190008	S	Code-rear Tire Qty 08	0	0
5220520	O	FF: Alcoa 89U637 22.5 X 9.00 High Polish Aluminum, Ultra ONE technology that saves more than 50 lbs. versus a comparable steel wheel. Built for refuse, logging, mining and other heavy haul applications that demand a tough wheel. Each wheel offers a 10,000 lbs. load rating.	547	-110
5320530	O	RR: Alcoa 89U647 22.5X9.00 High Polish Aluminum. Ultra ONE wheels with MagnaForce alloy.	3,036	-216
5390008	S	Code-rear Rim Qty 08	0	0
Fuel Tanks				
5532010	O	No Fuel Tank/Fuel System Provided, CNG Only	-444	0
5604000	O	Location LH BOC 000 Gal	0	0
5653080	O	CNG Body Mounted Cabinet Only	0	0
5653180	O	CNG Fuel System Compressed Natural Gas Fuel System.	0	0
Battery Box & Bumper				
6011070	O	Aluminum Battery Box LH Frame Mtd Back-of- Fender Aluminum battery box left hand frame mounted back-of-fender. 8" Below top of frame.	1,059	1
6030150	O	Rubber Battery Pad In Bottom of (1) Battery Box Mat in box that holds batteries only	25	4
6121700	S	Steel Bumper Channel Painted Includes two front tow eyes with pins	0	0
Cab & Equipment				
6501090	O	53" LCF ProBilt Cab RH Drive Use with auto-trans. Includes steel frames with aluminum and fiberglass panels, all aluminum doors, dual door stops, door locks, tinted safety glass thru-out, cab and door mounted entry grab handles, 65 degree hydraulic tilt, stainless steel grille, dual rear cab fenders, service module	1,357	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
		BOC (cab tilt pump, oil fill and dipstick, coolant fill and check, fluid fill and dipstick for auto trans), door mounted armrests, power windows, doghouse full insulation, rubber floor mats, ergonomic center control console, removable instrument panel, Driver Information Display, LED backlit gauges, adjustable side flip-down interior sunvisor, 16" steering wheel with integrated horn button, tilt/telescopic adjustable column, over-door storage, driver and passenger side cup holders, USB charging port and 12VDC charging outlet, header includes HVAC controls, rear cab corner windows, 18" bolt-on step on each side, self-canceling turn signals and Front Directional and Side Mounted Turn Signals.		
6540020	O	Key All Units Alike Please add your 3 digit key code number in the key code field.	288	0
6540160	S	Thermal Insulation Package in Cab The thermal insulation package is designed to make the cab thermally efficient in extreme temperatures. The model 520 adds insulation surrounding the doghouse to reduce engine heat transmitted to the cab.	0	0
6541233		KEY G233	0	0
6800500	S	4.5" Rubber Flares On Cab And wheel well fenders	0	0
6911720	S	Peterbilt Driver Seat	0	0
6921720	S	Peterbilt Passenger Seat	0	0
6931120	O	Seat Belt Color Orange IPO Standard Black	10	0
6939400	O	Air Ride Driver	411	43
6939420	O	High Back Driver	45	0
6939480	O	Mordura Driver	37	0
6939510	S	Non-Air Ride Passenger	0	0
6939540	S	Low Back Passenger	0	0
6939580	O	Mordura Passenger	60	0
7000000	S	Gray Interior Color Includes ABS Gray Headliner & Rear Cab Panel, Gray Vinyl Engine Tunnel Cover. For LH, RH, and Dual Steer Dual Seated Power Windows are standard on both doors. For Dual Steer RH stand-up the LH Window is Power and the RH Window is a Manual Sliding window.	0	0
7000045	O	High-Visibility Interior Grabhandles, Painted Bright yellow interior grabhandle for vocational vehicles.	76	2
7001520	S	Adjustable Steering Column - Tilt/Telescope	0	0
7001620	S	Steering Wheel With Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
7001999	U	KW L770, Use Kenworth Steering wheel logo <i>Narr production quality wants this narrative to callout KW steering wheel</i>	0	0
7040060	O	Diamond Plate Floor Covering LH/RH ipo Floormat In Dual Steer application RH Diamond Plate covering is standard. Single drive applications the Diamond Plate is optional.	178	13
7110680	S	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.	0	0
7220130	S	Rear Window Back of Cab Standard Tint 18.5in X 54in	0	0
7230350	S	2-Piece Flat Windshield	0	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7330920	O	(2) Defroster Fan On Rear Header	248	60
7410040	O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	408	4
7560100	O	Mirrors SSTL Each Side Heated and Motorized with Switch on Door.	-28	-7
7561400	O	Look Down Mirror Mounted Front Of Cab Opposite side of the driver position. Stainless steel.	73	0
7561450	O	(4) Convex 8 Inch SSTL Mirrors; (2) Center These optional convex mirrors provide enhanced rearward visibility by allowing the driver to see the operation of front-end loader arms or other obstacles that may interfere with operation in refuse services. The mirrors have an off-center mounting that maximizes adjustability for field of view. Dual door stops are included with these mirrors for added protection to the mirrors during cab entry and exit. Includes 4 convexed 8" stainless steel mirrors and 2 center mounted under (heated) and 2 center mounted over mirror bracket (non-heated). Includes dual door stops.	134	4
7610020	S	(1) Air Horn 15" Painted Mounted under cab.	0	0
7722120	O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	509	10
7722999	U	KW L770, Use Kenworth logo on radio <i>Narr production quality wants this narrative to callout KW radio</i>	0	0
7725740	O	Midlevel Speaker Package For Cab (4) Speakers	139	6
7728030	O	Radio Mute When In Reverse For automatic or automated transmission	0	0
7728040	O	Bluetooth Phone and Audio Requires USB Port	66	0
7728050	O	USB Port	66	0
7788335	S	Global Telematics Hardware	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
7851330	O	Cab Tilt Pump Air Assist	509	0
7851870	O	Rain Gutters Over Driver and Passenger Doors	84	8
7852150	S	Peterbilt Pantograph Windshield Wipers With intermittent feature.	0	0
7900090	O	Triangle Reflector Kit, Ship Loose Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	37	13
7900270	O	Fire Extinguisher, Cab Mounted Hazmat approved UL listed/rated ABC	75	12
7900401	O	Cruise Control Inactive With Wipers On	0	0
7901130	O	Backup Alarm (107 DB)	112	3
8011850	S	Transmission Oil Temperature (Main) Located in Digital Cluster Display.	0	0
8021315	S	Air Restriction Indicator Mounted on exhaust stanchion	0	0
8031120	O	Warning Light Battery Disconnect, Switch Engaged Marker light external mounted	14	0
8070010	O	Up To (4) Additional Electric Switches Up to (4) additional electric switches without wiring. Switch will short pin5 to pin 4 when off, and pin 5 to 6 when on. Backlighting provided by Lin jumper.	41	1
8070390	O	Engine Hourmeter Gauge Located in Digital Cluster Display	0	0
8070450	O	Engine PTO Hourmeter Gauge Located In Digital Cluster Display	0	0
8070810	O	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display	0	0
8070820	O	Engine Percent Torque Located in Digital Cluster Display	0	0
8070880	O	Main Instrument Panel (Nat Gas) Digital Cluster 7" Display includes: Physical (Analog) - Speedometer, Tachometer, Oil Pressure, Coolant Temp and Display Gauges - Fuel Level, Volts Telltale, OAT and Primary Air Pressure. Secondary Air Pressure for air brake trucks.	83	0
8070940	O	Voltmeter Gauge (MD/520 Only) Located in Digital Cluster Display	0	0
8110150	O	Headlights Single Rectangular LED Model 520 LED headlights provide outstanding brightness and coverage that can help with driver eye-fatigue. LED headlights are easy to install, long lasting, energy efficient and cost effective and they provide improved headlight brightness.	996	0
8120570	S	(5) LED Clearance With (2) LED Marker Lights Includes (5) lights mounted on roof of cab and (1) cab side marker light mounted in front of each cab door	0	0
8133960	O	Daytime Running Lights	0	0

100% Complete



Sales Code	Std/ Opt	Description	\$ List	Weight
		The brake interlock turns the daytime running lights off when the parking brakes are engaged. This is required on all Canadian vehicles.		
8134160	O	Self-Canceling Turn Signal	0	2
8153100	O	(1) F/O Load Light, Switch, 10' Wire Coil Under / in cab / sleeper baggage compartment	45	2
Paint				
8500710	S	Standard Paint Color Selection	-200	0
8530770	O	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85700 BUMPER L0001EA BLACK N85500 CAB ROOF L0006EY WHITE N85200 FRAME L0001EA BLACK	0	0
Shipping Destination				
Options Not Subject To Discount				
9400090	S	Peterbilt Class 8 Standard Coverage 1 year/100,000 Miles (160,000 km)	0	0
9407147	O	Fuel Price Index Factor \$0 NET	0	0
9408626	O	SmartLINQ RD - 5YR Sub Cummins Engines	799	0
9408703	O	Base Warr: Emissions 5YR/100K MI	0	0
9408982	O	Vehicle Layout Option is not subject to discount. Fleets will be split prior to build so that the charge is applied to only one unit. Quotes will not reflect this. <i>Narr match chassis 119482</i>	1,500	0
Miscellaneous				
9409081	O	State Of Registry: New Mexico	0	0
9409641	O	Model Year 2026 Engine	0	0
9409749	O	2024 Series Emissions Engine	0	0
Promotions				

100% Complete

From: [VALDEZ, MARTIN J.](#)
To: [JARAMILLO, DAVID M.](#)
Subject: RE: Fleet Approvals New Vehicle
Date: Thursday, September 18, 2025 10:37:00 AM

Thanks David.

From: JARAMILLO, DAVID M. <dmjaramillo@santafenm.gov>
Sent: Thursday, September 18, 2025 9:55 AM
To: VALDEZ, MARTIN J. <mjvaldez@santafenm.gov>
Subject: Fleet Approvals New Vehicle

To whom it may concern,

I am writing to express that in the case of **ESD, Fire, Transit, Airport, Complete streets 1 ton and above**, I'm not required to review any of their purchases. This is because I don't over see their fleet or manage those assets.

Please reach out if you have any questions.

David Jaramillo

Fleet section manager

(505)4704682

(505)9552351

Signature: *Martin J Valdez*

Email: mjvaldez@santafenm.gov

Signature: DEBORA TRUJILLO
DEBORA TRUJILLO (Jul 30, 2026 08:55:13 MDT)

Email: dctrujillo@santafenm.gov

Signature: *JD*

Email: jdroach@santafenm.gov

PURCHASING_MEMO_FOR_INLAND_KENWO RTH_FY27 (1)

Final Audit Report

2026-08-04

Created:	2026-08-04
By:	JUAN VELA (jevela@santafenm.gov)
Status:	Canceled / Declined
Transaction ID:	CBJCHBCAABAAzFPf_VS__sff9Cnu9t0l7s5jeajbYmc-
Documents:	PURCHASING_MEMO_FOR_INLAND_KENWORTH_FY27 (1).pdf (45 pages)

"PURCHASING_MEMO_FOR_INLAND_KENWORTH_FY27 (1)" History

-  Document created by JUAN VELA (jevela@santafenm.gov)
2026-08-04 - 9:41:55 PM GMT- IP address: 63.232.20.2
-  Document emailed to JUAN VELA (jevela@santafenm.gov) for filling
2026-08-04 - 9:47:29 PM GMT
-  Form filled by JUAN VELA (jevela@santafenm.gov)
Form filling Date: 2026-08-04 - 9:47:47 PM GMT - Time Source: server- IP address: 63.232.20.2 - Signature Appearance Selected: TYPE
-  Document emailed to Andrew Hopkins (ajhopkins@santafenm.gov) for signature
2026-08-04 - 9:47:58 PM GMT
-  Email viewed by Andrew Hopkins (ajhopkins@santafenm.gov)
2026-08-04 - 9:54:46 PM GMT- IP address: 104.47.65.254
-  Document e-signed by Andrew Hopkins (ajhopkins@santafenm.gov)
Signature Date: 2026-08-04 - 9:56:03 PM GMT - Time Source: server- IP address: 63.232.20.2 - Signature Appearance Selected: IMAGE
-  Document sent to JoAnn Lovato (jdlovato@santafenm.gov) and Travis Dutton-Leyda (tkduttonleyda@santafenm.gov) for signature. One of them to sign
2026-08-04 - 9:56:15 PM GMT
-  Email viewed by JoAnn Lovato (jdlovato@santafenm.gov)
2026-08-04 - 9:56:22 PM GMT- IP address: 51.54.38.120
-  Email viewed by Travis Dutton-Leyda (tkduttonleyda@santafenm.gov)
2026-08-04 - 10:28:53 PM GMT- IP address: 153.66.19.138

 Document declined by JoAnn Lovato (jdlovato@santafenm.gov)

Decline reason: Missing Assets approval

2026-08-04 - 10:32:00 PM GMT- IP address: 63.232.20.2

PURCHASING_MEMO_FOR_INLAND_KENWO RTH_FY27 (1) (1)

Final Audit Report

2026-08-07

Created:	2026-08-05
By:	JUAN VELA (jevela@santafenm.gov)
Status:	Signed
Transaction ID:	CBJCHBCAABAA4k4eBLwLq6P-aR3IYDy6KEeirtCEdFR0
Documents:	PURCHASING_MEMO_FOR_INLAND_KENWORTH_FY27 (1) (1).pdf (47 pages)
Number of Documents:	1
Document page count:	47
Number of supporting files:	0
Supporting files page count:	0

"PURCHASING_MEMO_FOR_INLAND_KENWORTH_FY27 (1) (1)" History

-  Document created by JUAN VELA (jevela@santafenm.gov)
2026-08-05 - 4:07:35 PM GMT- IP address: 63.232.20.2
-  Document emailed to JUAN VELA (jevela@santafenm.gov) for filling
2026-08-05 - 4:12:52 PM GMT
-  Form filled by JUAN VELA (jevela@santafenm.gov)
Form filling Date: 2026-08-05 - 4:13:13 PM GMT - Time Source: server- IP address: 63.232.20.2
-  Document sent to JoAnn Lovato (jdlovato@santafenm.gov) and Travis Dutton-Leyda (tkduttonleyda@santafenm.gov) for signature. One of them to sign
2026-08-05 - 4:13:25 PM GMT
-  Email viewed by Travis Dutton-Leyda (tkduttonleyda@santafenm.gov)
2026-08-05 - 7:23:42 PM GMT- IP address: 63.232.20.2
-  Email viewed by JoAnn Lovato (jdlovato@santafenm.gov)
2026-08-07 - 8:05:31 PM GMT- IP address: 63.232.20.2
-  Document e-signed by JoAnn Lovato (jdlovato@santafenm.gov)
Signature Date: 2026-08-07 - 8:08:27 PM GMT - Time Source: server- IP address: 63.232.20.2 - Signature Appearance Selected: IMAGE

✔ Agreement completed.

2026-08-07 - 8:08:27 PM GMT