
UNITS TO BE PLACED AT RICHARDS AVE



SLEEPER 64
(64 sq. ft.)

The 64 sq. ft. is a comfortable space for a senior on their own, though could hold two people if need. It can also be used for office space or storage for onsite service provider staff.



Pallet 64 square foot unit


Pallet 64 square foot unit, folded


Pallet 64 square foot unit, interior

EXHIBIT G


SLEEPER 120 (or S2) (120 sq. ft.)

The Pallet® S2 Sleeper is our industry-leading line of safe, durable, rapid-response shelters. Designed for rapid deployment and assembly, the S2 Sleeper also features energy efficient construction, smooth exterior and interior panels, and climate control options fit for any conditions.

The 120 sq. ft. (11.15 m2) is a comfortable and dignified space for two people or families to plan their future, and can also be used as office space and storage for onsite service provider staff.



BUILT AND DESIGNED IN THE USA





Technical Specifications

Interior Dimensions	17'2" W x 7' D x 6'9½" to 7'8" H
Square Footage	120 sq. ft.
Max. Shelter Weight	Approx. 1,500 lb.
Wind Rating	Up to 155 mph (Exposure C) Up to 170 mph (Exposure B)
Design Snow Load	Up to 40 lb. per sq. ft. (Standard) Up to 80 lb. per sq. ft. (High Load)
Amperage	120V - 33.8A 208/240V - 27.9/24.2A

Standard Features

1. Durable solid core residential exterior door and frame
2. Structurally insulated FRP walls
3. Heater and A/C units
4. Inorganic mold-, mildew-, and pest-resistant construction materials
5. Interior LED lighting
6. Smoke/CO detector combo unit
7. Integrated customizable wire shelving system

COMMUNITY ROOM 2

As the hub of each Pallet village, the Community Room 2 is crucial in providing residents a gathering space to socialize, prepare and eat meals, and receive supportive services. Our innovative panelized design makes it a rapid, convenient, and cost-effective option that can meet the unique needs of each village.



BUILT AND DESIGNED IN THE USA



Technical Specifications

Interior Dimensions (Stalls)	27′ W x 15′ D x 7′6″ to 10′2½″ H
Square Footage	405 sq. ft.
Max. Shelter Weight	Approx. 2,935 lb.
Wind Rating	Up to 135 mph (exposure C) Up to 165 mph (exposure B)
Design Snow Load Rating	Up to 35 lb. per sq. ft.
Amperage	208/240V - 72.1A



Standard Features

1. Customizable electrical system to meet the specific needs of each community
2. 8-hour build time
3. 16 openable windows
4. 2 points of entry and exit
5. High capacity mini-split – 35,000 BTU heating capacity and 33,000 BTU cooling capacity
6. 2 plugs for refrigerators, 2 plugs for either 4 microwaves or coffee pots and 4 additional outlets

LAUNDRY

Built on our proven shelter platform featuring space for four full-size washers and dryers, the Laundry unit is the perfect way to round out a Pallet village. With an accessibility-focused layout and featuring a wash sink, lighting, and climate control, this is a convenient solution for every resident.



BUILT AND DESIGNED IN THE USA

Washers and dryers not included



Standard Features

1. Utility sink
2. Resistant to mold, mildew, and pests
3. Space for four full-sized washers and dryers (not included)
4. Exterior Lights

Technical Specifications

Interior Dimensions	13′6″ W x 7′⅝″ D x 7′6″ to 8′10″ H
Square Footage	100 sq. ft. (94.5 sq. ft. Laundry | 5.5 sq. ft. Plumbing)
Max. Shelter Weight	Approx. 1,450 lb.
Wind Rating	Up to 155 mph (Exposure C) Up to 170 mph (Exposure B)
Design Snow Load Rating	Up to 80 lb. per sq. ft.
Amperage	208/240V - 284.3/293.2A

ACCESSIBLE HYGIENE + HALF BATH

The same features as our standard unit with the added benefit of an additional half bath. Perfect for adding bathroom capacity or as an admin storage, this 100 square foot unit offers turnkey installation ease and familiar residential fixtures.

Technical Specifications

Interior Dimensions (Accessible)	10′ W x 7′⅝″ D x 7′6″ to 8′10″ H
Interior Dimensions (Half Bath)	3′4½″ W x 7′⅝″ D x 7′6″ to 8′10″ H
Square Footage	100 sq. ft. (70 sq. ft. Accessible | 24 sq. ft. Half | 6 sq. ft. Plumbing)
Max. Shelter Weight	Approx. 2,300 lb.
Wind Rating	Up to 155 mph (Exposure C) Up to 170 mph (Exposure B)
Design Snow Load Rating	Up to 80 lb. per sq. ft.
Amperage	208/240V - 144/160A

BUILT AND DESIGNED IN THE USA






Standard Features

1. Standard flush toilets and hot/cold water sinks and showers
2. Fold-down shower bench
3. Standard sewer and electrical hookups for easy installation
4. Second half bath or space for storage
5. Locking doors with occupancy reader handles
6. Heat, A/C, exhaust fan, and humidity sensor
7. Slip-resistant floors
8. Resistant to mold, mildew, and pests
9. Exterior Lights

TWO-STALL HYGIENE

Based on the proven durability and longevity of our shelter design, this hygiene structure provides a private, lockable space with flushable toilet, a sink, and a shower in each of its two rooms. Easy to install, clean, and maintain, the Two-Stall Hygiene unit is an essential part of any dignified shelter community.







Technical Specifications

Interior Dimensions (Stalls)	6′8⅝″ W x 7′⅝″ D x 7′6″ to 8′10″ H
Square Footage	100 sq. ft. (47.5 sq. ft. Stalls | 5 sq. ft. Plumbing)
Max. Shelter Weight	Approx. 2,350 lb.
Wind Rating	Up to 155 mph (Exposure C) Up to 170 mph (Exposure B)
Design Snow Load Rating	Up to 80 lb. per sq. ft.
Amperage	208/240V - 150.1/165.2A

Standard Features

1. Standard flush toilets and hot/cold water sinks and showers
2. Standard sewer and electrical hookups for easy installation
3. Locking doors with occupancy reader handles
4. Heat, A/C, exhaust fan, and humidity sensor
5. Slip-resistant floors
6. Resistant to mold, mildew, and pests
7. Exterior lights